

Autohide Text Component:


Function: `autoHideTextDisplayField()`

Displays the banner based on the user's input for the specified duration.

■ *Successfully Created!*

Parameters

Name	Keyword	Type	Description
Label	label	Text	Text to display as the field label.
Label Position	labelPosition	Text	Determines where the label appears. Valid values: "ABOVE" (default), "ADJACENT", "JUSTIFIED", "COLLAPSED.
Icon	icon	Text	Refer to this link for available icons https://fontawesome.com/v6/icons , choose the icon, and add the class parameter of the HTML code snippet. For example, if the icon code snippet is "<i class="fa-solid fa-comment"></i>", give fa-solid fa-comment as input.

			 <p>The screenshot shows the Font Awesome icon library interface. At the top, there are navigation tabs for 'Classic', 'Sharp', 'Brands', and 'Free'. A search bar and a 'Featured' dropdown are visible. Below this is a grid of 26,233 icons. A specific icon, a dark blue house, is selected. To the right of the icon is a configuration panel with options for 'No Animation', 'No Rotation', and 'Default Size'. Below the configuration panel is a 'Get Started' button. At the bottom, there is a code editor showing the HTML code for the icon: <code><i class="fa-solid fa-house"></i></code>.</p>
Icon Color	iconColor	Text	Determines the icon color to be displayed in the banner. Valid values: "STANDARD", "ACCENT", "POSITIVE", "NEGATIVE", "SECONDARY". Default: STANDARD
Icon Size	iconSize	Text	Determines the icon Size. Valid Values: "SMALL", "STANDARD", "MEDIUM", "MEDIUM_PLUS", "LARGE", "LARGE_PLUS", "EXTRA_LARGE". Default: STANDARD.
Information	information	Text	Determines the text to be displayed in the field and it should be less than 300 characters.
Text Background Color	textBackgroundndColor	Text	Determines the text background color to be displayed in the banner. Valid values: "NONE", "TRANSPARENT", "STANDARD", "ACCENT", "SUCCESS", "INFO", "WARN", "ERROR". Default: STANDARD.

Text Color	textColor	Text	Determines the text color to be displayed in the field. Valid values: "STANDARD", "ACCENT", "POSITIVE", "NEGATIVE", "SECONDARY". Default: STANDARD.
Text Style	textStyle	Text	Determines the text style to be displayed in the banner. Valid values: "PLAIN", "EMPHASIS", "STRONG", "UNDERLINE". Default: PLAIN.
Text Size	textSize	Text	Determines the text Size. Valid Values: "SMALL", "STANDARD", "MEDIUM", "MEDIUM_PLUS", "LARGE", "LARGE_PLUS", "EXTRA_LARGE". Default: STANDARD.
Standby Time	standbyTime	Text	The number of seconds the banner is to be displayed. Max Limit: 30. Default: 10
ShowBanner Value	showBannerValue	Boolean	Boolean Parameter whether to show the banner or not. If true, the banner is visible or else invisible. Default: false
ShowBannerSaveInto	showBannerSaveInto	Boolean	One or more variables are updated with the show Banner value when the user changes it. Use a!save() to save a modified or alternative value to a variable.
Align Horizontal	alignHorizontal	Text	Determines the horizontal text alignment in the banner. Valid values: "LEFT", "CENTER", "RIGHT". Default: LEFT.
Align Vertical	alignVertical	Text	Determines the vertical text alignment. Valid values: "MIDDLE", "TOP", "BOTTOM". Default: MIDDLE.

Notes:

- Supported Browsers - Google Chrome, Mozilla Firefox, Internet Explorer11, Edge, Safari.
- Supported Language - English (United States).

Example

*Copy and paste the example into the **INTERFACE DEFINITION** in **EXPRESSION MODE** to see how it is displayed.*

```
a!localVariables(  
  local!test: false(),  
  {  
    a!buttonLayout(  
      primaryButtons: a!buttonWidget(  
        label: "Submit",  
        value: local!test,  
        saveInto: a!save(local!test, true())  
      )  
    ),  
    autoHideTextDisplayField(  
      icon: "fa fa-message",  
      information: "Successfully Created!",  
      textBackgroundColor: "INFO",  
      textColor: "STANDARD",  
      standbyTime: 30,  
      showBannerValue: local!test,  
      showBannerSaveInto: local!test,  
      iconColor: "ACCENT",  
      iconSize: "MEDIUM",  
      textStyle: "EMPHASIS",  
      textSize: "MEDIUM",  
      alignHorizontal:"LEFT",
```

alignVertical: "MIDDLE"

)
}
)

The screenshot displays an IDE window with two main panes. The left pane, titled 'Interface Definition', contains the following code:

```
1 • aLocalVariables(  
2   localTest: false(),  
3 • {  
4 •   aButtonLayout(  
5 •     primaryButtons: aButtonWidget(  
6 •       label: "Submit",  
7 •       value: localTest,  
8 •       saveInto: aSave(localTest, true())  
9 •     )  
10 •   ),  
11 •   autoHideTextDisplayField(  
12 •     icon: "fa fa-message",  
13 •     information: "Successfully Created!",  
14 •     textBackgroundColor: "INFO",  
15 •     textColor: "STANDARD",  
16 •     standbyTime: 30,  
17 •     showBannerValue: localTest,  
18 •     showBannerSaveInto: localTest,  
19 •     iconColor: "ACCENT",  
20 •     iconSize: "MEDIUM",  
21 •     textStyle: "EMPHASIS",  
22 •     textSize: "MEDIUM",  
23 •     alignHorizontal: "LEFT",  
24 •     alignVertical: "MIDDLE"  
25 •   )  
26 • }  
27 • )
```

The right pane, titled 'PREVIEW', shows a blue banner with the text 'Successfully Created!' and a small icon to the left. Below the banner is a large empty white area.

Below the code editor, there is a small text block:

Interface. When set to false, the component is hidden and is not evaluated. Default: true.

icon (Text): Refer to this link for available icons <https://fontawesome.com/v6/icons>, choose the icon and add class parameter of the HTML code snippet. For more details refer documentation.