

Mode: Differences, With Context

Left file: C:\Users\franklin\GitHub\ps-Archant\ear\suite.ear\web.war\WEB-INF\conf\security\uri\whitelist-urlrewrite.xml

Right file: C:\appian\ear\suite.ear\web.war\WEB-INF\conf\security\uri\whitelist-urlrewrite.xml

1	1	<?xml version="1.0" encoding="utf-8"?>
2	2	<!DOCTYPE urlrewrite PUBLIC "-//tuckey.org//DTD UrlRewrite 3.2//EN" "http://tuckey.org/res/dtds/urlrewrite3.2.dtd" >
4		<!-- This file was autogenerated using UrlRewriteList in the appian/tech-tools repository -->
5		<!-- Thu Sep 12 17:35:21 EDT 2013-->
6	4	<urlrewrite>
7	5	<!-- Exempt Administrator from URI filtering -->
8	6	<rule>
9	7	<condition type="remote-user">Administrator</condition>
10	8	<to last="true">-</to>
11	9	</rule>
71	69	<to last="true">-</to>
72	70	</rule>
73	71	<rule match-type="wildcard">
74	72	<from>/**/js/*.jsp</from>
75	73	<to last="true">-</to>
76	74	</rule>
77		<!--<rule match-type="wildcard">
78		<from>/forms/templates/**/*.html</from>
79		<to last="true">-</to>
80		</rule>-->
81		<rule match-type="wildcard">
82		<from>/**/*.html</from>
83		<to last="true">-</to>
	75	<rule match-type="wildcard">
	76	<from>/forms/templates/**/*.html</from>
	77	<to last="true">-</to>
84	78	</rule>
85	79	<rule match-type="wildcard">
86	80	<from>/masterapp/*.html</from>
87	81	<to last="true">-</to>
88	82	</rule>
89	83	<rule match-type="wildcard">
117	111	<rule match-type="wildcard">
118	112	<from>/portal/loginPage.none</from>
119	113	<to last="true">-</to>

Left file: C:\Users\franklinj\GitHub\ps-Archant\ear\suite.ear\WEB-INF\conf\security\uri\whitelist-urlrewrite.xml

Right file: C:\appian\ear\suite.ear\WEB-INF\conf\security\uri\whitelist-urlrewrite.xml

(continued)

120	114	</rule>
121	115	<rule match-type="wildcard">
122	116	<from>/portal/welcome.jsp</from>
	117	<to last="true">-</to>
	118	</rule>
	119	<rule match-type="wildcard">
	120	<from>/rest/a/content/latest/branding/logo/* </from>
	121	<to last="true">-</to>
	122	</rule>
	123	<rule match-type="wildcard">
	124	<from>/rest/a/content/latest/branding/favicon/* </from>
123	125	<to last="true">-</to>
124	126	</rule>
125	127	<rule match-type="wildcard">
126	128	<from>/framework/error/*.jsp</from>
127	129	<to last="true">-</to>
128	130	</rule>
331	333	<condition type="user-in-role">designer</condition>
332	334	<from>^/admin/data/updateRelatedAction\.(admin bg do frameset layer none popup preview print simplepopup)\$ </from>
333	335	<to last="true">-</to>
334	336	</rule>
335	337	<rule>
336	338	<condition type="user-in-role">designer</condition>
	339	<from>^/admin/data/reorderRelatedAction\.(admin bg do frameset layer none popup preview print simplepopup)\$ </from>
	340	<to last="true">-</to>
	341	</rule>
	342	<rule>
	343	<condition type="user-in-role">designer</condition>
	344	<from>^/admin/data/reorderDashboard\.(admin bg do frameset layer none popup preview print simplepopup)\$ </from>
	345	<to last="true">-</to>
	346	</rule>
	347	<rule>
	348	<condition type="user-in-role">designer</condition>
337	349	<from>^/admin/data/deleteDataStores\.(admin bg do frameset layer none popup preview print simplepopup)\$ </from>
338	350	<to last="true">-</to>
339	351	</rule>

Left file: C:\Users\franklinj\GitHub\ps-Archant\ear\suite.ear\web.war\WEB-INF\conf\security\uri\whitelist-urlrewrite.xml

Right file: C:\appian\ear\suite.ear\web.war\WEB-INF\conf\security\uri\whitelist-urlrewrite.xml

(continued)

340	352	<rule>
341	353	<condition type="user-in-role">designer</condition>
342	354	<from>^/admin/data/getDataStores\.(admin bg do frameset layer none popup preview print simplepopup)\$ </from>
6590	6602	<rule>
6591	6603	<condition type="user-in-role">designer</condition>
6592	6604	<from>^/contents/versions\.\.jsp\$</from>
6593	6605	<to last="true">-</to>
6594	6606	</rule>
6595	6607	<rule>
6596		<condition type="user-in-role">app-user</condition>
6597		<from>^/debugpanel/[A-F0-9]{32}\.cache\.\.html\$</from>
6598		<to last="true">-</to>
6599		</rule>
6600		<rule>
6601		<condition type="user-in-role">designer</condition>
6602		<from>^/debugpanel/[A-F0-9]{32}\.cache\.\.html\$</from>
6603		<to last="true">-</to>
6604		</rule>
6605		<rule>
6606		<condition type="user-in-role">app-user</condition>
6607		<from>^/debugpanel/hosted\.\.html\$</from>
6608		<to last="true">-</to>
6609		</rule>
6610		<rule>
6611		<condition type="user-in-role">designer</condition>
6612		<from>^/debugpanel/hosted\.\.html\$</from>
6613		<to last="true">-</to>
6614		</rule>
6615		<rule>
6616	6608	<condition type="user-in-role">designer</condition>
6617	6609	<from>^/designer(/? /.*)\$</from>
6618	6610	<to last="true">-</to>
6619	6611	</rule>
6620	6612	<rule>
6621	6613	<condition type="user-in-role">app-user</condition>
20115	20107	<rule>

Left file: C:\Users\franklinj\GitHub\ps-Archant\ear\suite.ear\web.war\WEB-INF\conf\security\uri\whitelist-urlrewrite.xml

Right file: C:\appian\ear\suite.ear\web.war\WEB-INF\conf\security\uri\whitelist-urlrewrite.xml

(continued)

20116	20108	<condition type="user-in-role">designer</condition>
20117	20109	<from>^/rest/a/user/.*\$</from>
20118	20110	<to last="true">-</to>
20119	20111	</rule>
20120	20112	<rule>
	20113	<condition type="user-in-role">designer</condition>
	20114	<from>^/rest/a/interfacedesigner/.*\$</from>
	20115	<to last="true">-</to>
	20116	</rule>
	20117	<rule>
	20118	<condition type="user-in-role">app-user</condition>
	20119	<from>^/rest/a/custombranding/.*\$</from>
	20120	<to last="true">-</to>
	20121	</rule>
	20122	<rule>
	20123	<condition type="user-in-role">designer</condition>
	20124	<from>^/rest/a/custombranding/.*\$</from>
	20125	<to last="true">-</to>
	20126	</rule>
	20127	<rule>
	20128	<condition type="user-in-role">app-user</condition>
	20129	<from>^/rest/a/applications/.*\$</from>
	20130	<to last="true">-</to>
	20131	</rule>
	20132	<rule>
	20133	<condition type="user-in-role">designer</condition>
	20134	<from>^/rest/a/applications/.*\$</from>
	20135	<to last="true">-</to>
	20136	</rule>
	20137	<rule>
20121	20138	<condition type="user-in-role">app-user</condition>
20122	20139	<from>^/retrieveTaskViews\.(admin bg do frameset layer none popup preview print simplepopup)\$ </from>
20123	20140	<to last="true">-</to>
20124	20141	</rule>
20125	20142	<rule>
20126	20143	<condition type="user-in-role">designer</condition>

Left file: C:\Users\franklinj\GitHub\ps-Archant\ear\suite.ear\web.war\WEB-INF\conf\security\uri\whitelist-urlrewrite.xml

Right file: C:\appian\ear\suite.ear\web.war\WEB-INF\conf\security\uri\whitelist-urlrewrite.xml

(continued)

20147	20164	<from>^/rules/SearchRules\.(admin bg do frameset layer none popup preview print simplepopup)\$ </from>
20148	20165	<to last=" <b>true</b> ">-</to>
20149	20166	</rule>
20150	20167	<rule>
20151	20168	<condition type="user-in-role">designer</condition>
20152	20169	<from>^/rules/browse/createrulesfolder\.(admin bg do frameset layer none popup preview print simplepopup)\$ </from>
	20170	<to last=" <b>true</b> ">-</to>
	20171	</rule>
	20172	<rule>
	20173	<condition type="user-in-role">designer</condition>
	20174	<from>^/rules/convertToSailRule\.(admin bg do frameset layer none popup preview print simplepopup)\$ </from>
20153	20175	<to last=" <b>true</b> ">-</to>
20154	20176	</rule>
20155	20177	<rule>
20156	20178	<condition type="user-in-role">designer</condition>
20157	20179	<from>^/rules/decision_table/decisionTable\.jsp\$ </from>
20158	20180	<to last=" <b>true</b> ">-</to>
20250	20272	<rule>
20251	20273	<condition type="user-in-role">designer</condition>
20252	20274	<from>^/rules/importSuccess\.jsp\$ </from>
20253	20275	<to last=" <b>true</b> ">-</to>
20254	20276	</rule>
20255	20277	<rule>
	20278	<condition type="user-in-role">designer</condition>
	20279	<from>^/rules/interface\.jsp\$ </from>
	20280	<to last=" <b>true</b> ">-</to>
	20281	</rule>
	20282	<rule>
20256	20283	<condition type="user-in-role">app-user</condition>
20257	20284	<from>^/rules/preview\.jsp\$ </from>
20258	20285	<to last=" <b>true</b> ">-</to>
20259	20286	</rule>
20260	20287	<rule>
20261	20288	<condition type="user-in-role">designer</condition>
20306	20333	<condition type="user-in-role">designer</condition>
20307	20334	<from>^/rules/updateSecurity\.(admin bg do frameset layer none popup preview print simplepopup)\$ </from>

Left file: C:\Users\franklinj\GitHub\ps-Archant\ear\suite.ear\war\WEB-INF\conf\security\uri\whitelist-urlrewrite.xml

Right file: C:\appian\ear\suite.ear\war\WEB-INF\conf\security\uri\whitelist-urlrewrite.xml

(continued)

20308	20335	<to last="true">-</to>
20309	20336	</rule>
20310	20337	<rule>
20311	20338	<condition type="user-in-role">app-user</condition>
	20339	<from>^/sailapplication/hosted\.html\$</from>
	20340	<to last="true">-</to>
	20341	</rule>
	20342	<rule>
	20343	<condition type="user-in-role">designer</condition>
	20344	<from>^/sailapplication/hosted\.html\$</from>
	20345	<to last="true">-</to>
	20346	</rule>
	20347	<rule>
	20348	<condition type="user-in-role">app-user</condition>
	20349	<from>^/sailapplication/[A-F0-9]{32}\.cache\.html\$</from>
	20350	<to last="true">-</to>
	20351	</rule>
	20352	<rule>
	20353	<condition type="user-in-role">designer</condition>
	20354	<from>^/sailapplication/[A-F0-9]{32}\.cache\.html\$</from>
	20355	<to last="true">-</to>
	20356	</rule>
	20357	<rule>
	20358	<condition type="user-in-role">app-user</condition>
	20359	<from>^/sailapplication/sailApplicationSvc\$</from>
	20360	<to last="true">-</to>
	20361	</rule>
	20362	<rule>
	20363	<condition type="user-in-role">designer</condition>
	20364	<from>^/sailapplication/sailApplicationSvc\$</from>
	20365	<to last="true">-</to>
	20366	</rule>
	20367	<rule>
	20368	<condition type="user-in-role">app-user</condition>
20312	20369	<from>^/servlet/com\.ve\.kavachart\.servlet\.ChartStream\$</from>
20313	20370	<to last="true">-</to>

Left file: C:\Users\franklinj\GitHub\ps-Archant\ear\suite.ear\web.war\WEB-INF\conf\security\uri\whitelist-urlrewrite.xml

Right file: C:\appian\ear\suite.ear\web.war\WEB-INF\conf\security\uri\whitelist-urlrewrite.xml

(continued)

20314	20371	</rule>
20315	20372	<rule>
20316	20373	<condition type="user-in-role">designer</condition>
20317	20374	<from>^/servlet/com\.ve\.kavachart\.servlet\.ChartStream\$ </from>
20347	20404	<from>^/switchmodule\.(admin bg do frameset layer none popup preview print simplepopup)\$ </from>
20348	20405	<to last="true">-</to>
20349	20406	</rule>
20350	20407	<rule>
20351	20408	<condition type="user-in-role">designer</condition>
20352	20409	<from>^/task/.*\$</from>
	20410	<to last="true">-</to>
	20411	</rule>
	20412	<rule>
	20413	<condition type="user-in-role">designer</condition>
	20414	<from>^/tempo/remote_logging\$</from>
	20415	<to last="true">-</to>
	20416	</rule>
	20417	<rule>
	20418	<condition type="user-in-role">designer</condition>
	20419	<from>^/tempo/remote_logging\$</from>
	20420	<to last="true">-</to>
	20421	</rule>
	20422	<rule>
	20423	<condition type="user-in-role">designer</condition>
	20424	<from>^/sailapplication/remote_logging\$</from>
	20425	<to last="true">-</to>
	20426	</rule>
	20427	<rule>
	20428	<condition type="user-in-role">designer</condition>
	20429	<from>^/sailapplication/remote_logging\$</from>
20353	20430	<to last="true">-</to>
20354	20431	</rule>
20355	20432	<rule>
20356	20433	<condition type="user-in-role">app-user</condition>
20357	20434	<from>^/tempo/[A-F0-9]{32}\.cache\.html\$</from>
20358	20435	<to last="true">-</to>