

## PROCESS MODEL PROPERTIES

### Process Model Properties » CWA\_OEC\_28\_UpdateCertificationVendorBULK

General Variables Process Start Form Deadlines Alerts Data Management

#### Process Variables

+ Add Variable

Name	Type	Value	Parameter?	Required?	Multiple?	Hidden?
CWA_OECVendor	CWA OEC Vendor (Record Type)	=alqueryEntity_22r2( entity: cons!CWA_OEC_VENDOR_DSE, query: alquery( logicalExpression: alqueryLogicalExpression( operator: "AND", filters: { alqueryFilter( field: "oecvendorid", operator: "=", ) }, ignoreFiltersWithEmptyValues: true ), pagingInfo: alpagingInfo( startIndex: 1, batchSize: 999, sort: alsortInfo( field: "oecvendorid", ascending: false ) ) ), fetchTotalCount: false).data	No	N/A	Yes	No
cancel	Boolean	(No Value)	No	N/A	No	No

CANCEL OK

### Process Model Properties » CWA\_OEC\_28\_UpdateCertificationVendorBULK

General Variables Process Start Form Deadlines Alerts Data Management

#### Edit Process Variable

+ Add Variable

Name: CWA\_OECVendor

Type: CWA OEC Vendor (Record Type)

Value: =alqueryEntity\_22r2( entit

Parameter:  Allow the value for the variable to be provided when starting a process

Required:  Value is required in order to start a process

Multiple:  Variable can store multiple values

Hidden:  Variable is hidden from parent processes, reports and process history

CANCEL OK

## USER INPUT TASK NODE

### Configure Update Certification Details BULK

General Data **Forms** Scheduling Assignment Escalations Exceptions Other

Arabic Greek Korean

Enable this language

**Interface**  
"CWA\_TEST\_INTERFACE\_6" Clear

[EDIT INTERFACE](#)

Specify the data to pass between the process and interface [Refresh](#)

Rule Input	Type	Multiple?	Value
cancel	Boolean	No	cancel
CWA_OECVendor	CWA OEC Vendor (Record Type)	Yes	CWA_OECVendor

Allow users to save a draft of in-progress tasks

Capture location on submission (only supported in Appian Mobile)  
Access the location as an Output Result in the "Data" tab

[CANCEL](#) [OK](#)

### Configure Update Certification Details BULK

General **Data** Forms Scheduling Assignment Escalations Exceptions Other

Inputs **Outputs**

**Node Inputs** Map the value(s) for the inputs of the node

- + New Input -x Delete Input
- + CWA\_OECClient (CWA\_OECClient)
- + cancel (Boolean)
- + **CWA\_OECVendor** (CWA OEC Vendor (Record Type))

**Field Properties**

Name: CWA\_OECVendor

Type: CWA OEC Vendor (Record Type)

Multiple:

Value: =pv/CWA\_OECVendor

Required:

Save into: CWA\_OECVendor

[CANCEL](#) [OK](#)

## WTDS NODE

### Configure Write Multiple OEC Vendor to DSE ✕

GeneralDataFormsSchedulingAssignmentEscalationsExceptionsOther

InputsOutputs

Node Inputs ⓘ Map the value(s) for the inputs of the node

+ New Input

Data Store Entity \* (Data Store Entity)

CWA\_OECVendor (CWA OEC Vendor (Record Type)) 🗑

**Field Properties**

**Name**

**Type**

**Multiple**

**Value**  📄

**Required**

**Save into**  +

CANCEL OK

### Configure Write Multiple OEC Vendor to DSE ✕

GeneralDataFormsSchedulingAssignmentEscalationsExceptionsOther

InputsOutputs

Node Inputs ⓘ Map the value(s) for the inputs of the node

+ New Input ✕ Delete Input

Data Store Entity \* (Data Store Entity)

CWA\_OECVendor (CWA OEC Vendor (Record Type)) 🗑

**Field Properties**

**Name**

**Type**

**Multiple**

**Value**  📄

**Required**

**Save into**  +

CANCEL OK