Exercise 3: Manage Users and Groups

Manage Users: Create Groups

Para comprender el Manejo de usuarios, se creó los grupos de usuario:

8 Soranyi Cubillos

AX All Users, mi caso particular, no me permitió crearlo porque ya estaba creado (7/30/2022 6:21 AM by Jesús Alberto Guzmán), por lo cual no me fue posible realizar la instrucción '**Añadir el**

Grupo AX All Users como su grupo principal' los grupos AX Administrators, AX Supervisors, AX Maintenance, and AX Registrars creados.

Procedimiento para agregar miembros:

<	Acme Exercise				IMPORT PACKAG	E PACKAGE	ES COMPARE AND DEP	PLOY
	Name or details	All Applicatio	on Objects >					
€ •	OBJECT TYPE Group User MEMBER TYPE Direct Indirect Rule	Members NEW GROU	Add Group N Choose the groups and users Groups to Add Select one or more groups Users to Add Soranyi Cubillos X	Members s to add as members	: of the AX Administrat	prs group	t = ADD	er Type
<	Acme Exercise				IMPORT PACKAGE	PACKAGES	COMPARE AND DEPLOY	¢-
Ø	Name or details Q 💌	All Application	Objects >					
•	OBJECT TYPE Group User	Members NEW GROUP	Membership Rules					
æ	MEMBER TYPE	Na	ime	Details			Member Ty	/pe

Configure Group Security

Direct

Indirect
 Rule

Primero se debe proteger el grupo primario AX All Users, el procedimiento de intento se realizó así: Se seleccionó **AX All Users**, pero Security no se pudo editar, ya que la carpeta fue creada por otro usuario:

scubillos

Direct

<	Acme Exercise					IMPORT PA	CKAGE	PACKAGES	COMPARE AND DEPLOY	\$ -	🔍 🎞 🌘		appian
	III ALL OBJECTS 💉 PLUG-INS 🔿 UNREFERENC	ED OBJE	CTS										
0	Name or description Q 🝷	NE	w •	ADD EXISTING - DUPLICATE ADD TO	PACKAGE	SECURITY	DEPENDE	NTS PRECED	ENTS REMOVE FROM APP		All Application Object	ts 🔻	
•	DELETE MORE - 2												
Ŧ	OBJECT TYPE			Name	Descript	ion					Last Modified		т
₽	Constant	AX Constants	Constants will be stored					7/30/2022 2:59 AM by Soranyi Cubillos					
	Data Store Image: Constraint of the store Image: Constraint of the store Image: Constraint of the store Data Type Decision Image: Constraint of the store Image: Constraint of the store Document Image: Constraint of the store Image: Constraint of the store Image: Constraint of the store Expression Rule Image: Constraint of the store Image: Constraint of the store Image: Constraint of the store			AX Interfaces	Interfaces will be stored					7/30/2022 3:06 AM by Soranyi Cubillos			
				The Knowledge Center will be stored here Grupo principal para todos los roles en la aplicación AX					7/30/2022 3:10 AM by Soranyi Cubillos				
									7/30/2022 6:21 AM by Jesús Alberto Guz				
	Feed		2	AX Expressions	Expression	ons will be sto	ored				8/1/2022 6:57 AM by	Soranyi (Tubillos

En la práctica efectiva como indica el instructivo, todos los usuarios de los demás grupos secundarios heredan esta seguridad

Configure Folder Security

Para el manejo de seguridad de las carpetas se tienes en cuentas los siguientes criterios:



<	Acme Exercise			IMPORT PACKAGE	PACKAGES	COMPA	RE AND DEPI	LOY	\$ -	
	III ALL OBJECTS 🖋 PLUG-INS 🔿 UNREFERENC	ED OBJECTS								
0 •	Name or description Q	NEW - /	Rule Folder Security							
4	OBJECT TYPE Connected System Constant Data Store Data Type Decision Document Expression Rule		Tip: Rule folders without parents cannot security by default. Learn more B Name AX Knowledge Center 1 warning detected Show More	inherit security. Rule f	olders with a pa	arent inhei	rit	X app).	
	Feed Folder Group		User or Group Default (All Other Users)	Permission Level		-	1			
	 Integration Interface Process Model 		Soranyi Cubillos	Administrator Administrator		•	× ×			
	Query Rule		AX All Users X Add Users or Groups	Editor		•	×			
	Site Web API		CANCEL		SA		GES 🔶			

<	Acme Exercise			IMPORT PACKAGE	PACKAGES	PARE AND DEPLO	Y 🗘 -
	III ALL OBJECTS 🖋 PLUG-INS 🔿 UNREFEREN	CED OBJECTS					
0 •	Name or description Q -	NEW - / DELETE	Rule Folder Security			Â	P
4	OBJECT TYPE Connected System Constant		Tip: Rule folders without parents cannot security by default. Learn more 🗹	inherit security. Rule fo	olders with a parent in	herit AX	app.
	Data Store Data Type Decision		Name			- 1	
	Document Expression Rule		▲ 2 warnings detected Show More			. 8	
	Folder		User or Group Default (All Other Users)	Permission Level			
	 Integration Interface Process Model 		Soranyi Cubillos	Administrator		×	
	Query Rule		AX All Users 🗙	Administrator	•	• ×	
	Report		• Add Users or Groups			_1	
>	LAST MODIFIED BY		CANCEL		SAVE CH		

Configure Application Security

Por último, se estableció la seguridad en toda la aplicación AX.

1. En Appian Designer, seleccione la casilla de verificación junto a Acme Exercise (AX) y haga clic en Seguridad.

2. Dar clic en el cuadro de diálogo **Security** de la aplicación, ADD MEMBERS y escriba AX Administrators en el campo User o Group, para culminar colocar los parámetros, como se indica a continuación.

Å	Appia	n Designer							
				////					
±± ∷≡	Let's Make a	s get started new application from scratch, or get a hear	Application Security	<u>^</u>					
-			Tip: Basic users must have at least viewer rights to view a published application's feeds and actions at runtime. Learn more 🖉						
6 2a	APPI	ICATIONS							
-	Nan	ne or description Q Last Mo	Name 🔛 Acme Exercise						
	EXPO	DRT - SECURITY DELETE							
	D Name D		A 1 warning detected Show More						
		Acme Exercise A	User or Group	Permission Level					
		A3 Dialogs A	Default (All Other Users)	No Access 👻					
		SHARED	Soranyi Cubillos	Administrator - ×					
		Tests_Andres	AX Administrators 🗙	Administrator - X					
		Replace Image in Word Docx	AX All Users 🗙	Viewer - ×					
		Procensol Toolkit (PRO_TK) 2.4.1 A	Add Users or Groups						
	Name or description Q Last Model EXPORT • SECURITY DELETE Image: Comparison of the second of the sec								
>		Dynamic Site Management *	CANCEL	SAVE CHANGES					

<	Acme Exercise			IM	IPORT PACKAGE	PACKAGES	COMPARE AND I	DEPLOY	\$ •
0	Name or details Q -	All Application	Objects>					1	
•	OBJECT TYPE Group User	Members NEW GROL	AX Administrators		Members 0 groups and 0 u	isers			
Ð	MEMBER TYPE	N	Description		1D Gr	oup Type		er Typ	e
	Direct Indirect		Contains all users with the administrative rights for the AA app.		UUID _e-0000e873-430 Visibility	-f-8000-9b35-01	1075c01075c_1525	l	
			Parent	11	Public (everyone)				
			Select a group	=	Closed (admins	s must select all	members) 🔹		
					Privacy Policy				
					Low (members	can see each o	ther) 👻		
			CANCEL				SAVE		