




EPP GeneratePDF

1 Process Model Properties

Process Display Name ="EPP GeneratePDF at "& now()
Model Id 873
UUID 0002ebef-2922-8000-01ce-7f0000014e7a
Last updated by rajesh.pandey@telusinternational.com

2 Process Model Diagram



3 Process Model Contents

Process Start Form Type SAIL Form

Process Variables (7)

Name	Type	Multiple	Default Value	Parameter	Required	Hidden
CreateNewDocument	Boolean	No		No	No	No
DocxTemplate	Document	No		No	No	No
NewDocumentCreated	Document	No		No	No	No
NewDocumentName	Text	No		No	No	No
Output	Document	No		No	No	No
SaveInFolder	Folder	No		No	No	No
XmlDataModel	Text	No		No	No	No

Lanes

Label	Size (px)	Lane Assignment	Attended	Assignees / Run As
<i>This process model does not have any lanes</i>				

Nodes

Id	GUI Id	Name	Task Display Name	Lane	Attended	Assignees / Run As
4796	1	End Node	End Node		No	Process Initiator
4797	3	Export PDF From DOCX	"Export PDF From DOCX initiated at"& now()		No	Process Initiator
4798	2	Generate Docx from XML	"Generate Docx from Data initiated on "& now()		No	Process Initiator
4795	0	Start Node	Start Node		No	Process Initiator

Annotations

GUI Id	Text
<i>This process model does not have any annotations</i>	

Connections

Start Node	End Node	Chained
Start Node	Generate Docx from XML	Yes
Export PDF From DOCX	End Node	Yes
Generate Docx from XML	Export PDF From DOCX	Yes

4 Process Model Nodes

End Node

Node Type End Node (core.1)
UUID 0001ebef-2922-8000-01ce-7f0000014e7a
Description
Task Display Name End Node
Assignment unattended, run as: Process Initiator
Other

Export PDF From DOCX

Node Type PDF From DOCX (documentFromDynamicTemplate.PDFfromDOCX)
UUID 0002ebf0-08a2-8000-01d2-7f0000014e7a
Description
Task Display Name ="Export PDF From DOCX initiated at"& now()
Assignment unattended, run as: Process Initiator
Other

Inputs

Name	Type	Multiple	Value	Save Into	Required	Generated	Hidden from designer
CreateNewDocument	Boolean	No	True		Yes	No	No
DocxFile	Document	No	=pv!Output	Output	Yes	No	No
ExistingDocument	Document	No			No	No	No
NewDocumentDesc	Text	No			No	No	No
NewDocumentName	Text	No	="Task List"& now()		No	No	No
PDFOptions	Any Type	No			No	No	No
SaveInFolder	Folder	No	=cons!EPP_cons_ExportedFiles		No	No	No

Generate Docx from XML

Node Type DOCX From Dynamic Template (documentFromDynamicTemplate.DOCXDocumentFromTemplateWithImgSizeOptions)
UUID 0001ebf0-08a2-8000-01d2-7f0000014e7a
Description
Task Display Name ="Generate Docx from Data initiated on "& now()
Assignment unattended, run as: Process Initiator
Other

Inputs

Name	Type	Multiple	Value	Save Into	Required	Generated	Hidden from designer
CreateNewDocument	Boolean	No	True	CreateNewDocument	Yes	No	No
DocxTemplate	Document	No	=cons!EPP_NEW_FORMAT	DocxTemplate	Yes	No	No
ExistingDocument	Document	No			No	No	No
Images	Any Type	No			No	No	No
NewDocumentDesc	Text	No			No	No	No
NewDocumentName	Text	No	="Task List - "& now()	NewDocumentName	No	No	No
PreserveImageSize	Boolean	No			No	No	No
SaveInFolder	Folder	No	=cons!EPP_cons_ExportedFiles	SaveInFolder	No	No	No
XmlDataModel	Text	No	=rule!EPP_GeneratePdfXml()	XmlDataModel	Yes	No	No

Outputs

Expression	Operation	Variable
AC!NewDocumentCreated	is stored as	Output

Start Node

Node Type Start Node (core.0)
UUID 0000ebef-2922-8000-01ce-7f0000014e7a
Description
Task Display Name Start Node
Assignment unattended, run as: Process Initiator
Other